

Priority Cotton By-products Activities for Development

National Capacity Building Workshop (UNCTAD)

Kampala, Uganda, March 14-16, 2018



Dr. P.G. Patil
Director, ICAR-CIRCOT




ICAR-Central Institute for Research on Cotton Technology (CIRCOT)
Ministry of Agriculture and Farmers Welfare, Govt. of India

Cotton Sector in India (2017-18)

- ❖ **Area Under Cotton Cultivation** : **12.3 million hectares**
- ❖ **Cotton Production** : **6.2 million tonnes**
- ❖ **Cottonseed production** : **12.1 million tonnes**
- ❖ **Cotton Stalk Production** : **30 million tonnes**
- ❖ **Cotton Farmers** : **5 million**

Value Addition to Cottonseed and Stalks




Industrial Applications of Cottonseed Meal

Cottonseed cake: India's Experiences

- ❑ Availability : **5.75 million tonnes** annually
- ❑ Oiled Cake: 5.4 m tonnes and De-oiled cake: 0.35 m tonnes
- ❑ Uses: **Mostly used for ruminant feeds**
- ❑ Total gossypol content: 0.6 - 1.15% (0.05 – 0.7% free gossypol)
- ❑ Gossypol: Limitation to non-ruminants like fish and Poultry
- ❑ Large scale production of **degossypolised meal under trials**
- ❑ **Small scale production of degossypolised meal for poultry and fish feeding, etc. using CIRCOT technology**



CIRCOT : Degossypolization Technology



Degossypolized Cottonseed Cake

- **CIRCOT microbial process**
 - **Reduction of free gossypol content (80%),**
 - **Reduce bound gossypol (60 %),**
 - **Reduce crude fibre (30%)**
 - **Improvement of protein content (40%)**
 - **Improvement in lysine content (25%)**
- **Gossypol level meets standard: UN's Protein Advisory Group (UPA)**
- **Enable Cottonseed meal for Poultry and Fish feed**
- **Human Protein Supplement**



Pilot Scale Production: Degossypolised cake

A	Capital Investment (1 TPD Capacity)	INR (Mn.)	USD
	Land and Building (Land Area: 2000 sq. m; Building for Machinery: 50 Sq. M ; Material storage area:500 Sq. M ; Office Building: 40 Sq. M)	0.50	7,962
	Plant and Equipment	0.90	13,846
	Auxiliary and Service Equipment (Electricals and handling tools)	0.10	1,538
	Total investment	1.50	23,077
B	Operational Expenses		
	Raw Material Cost for 4 months(1 TPD for 120 days @ Rs. 20,000 per tonne)	2.40	36,923
	Operational cost including repair and Maintenance and other charges (Rs. 3000/tonne) for 4 months	0.36	5,538
C	Gross Annual Income (Rs. 25000/tonne)	6.0	93,308
	Net annual income (Rs. 2000/tonne)	0.48	7,385
D	Payback period: 38 months		Return on investment : 26.3%

Cottonseed Hulls

- Hulls contain about 35%-47% of alpha cellulose, 19%-27% pentosans, 15%-20% lignin, 5% ash, protein, fats, etc.

Uses:

- For extraction of Furfural, an industrially important chemical
- Good roughage and commonly used in feed lot and dairy rations

Enhanced utilization of Hulls through Bio-enrichment

- Digestibility and crude protein content of Hulls can be enhanced by **fermentation**
- With **increased digestibility** and **enhanced level of crude protein** it can be used as cattle feed

Industrial Applications of Linters

Linters from Cottonseed: India's Experiences

Short fuzzy fibres from cottonseed



Uses


- Cellulose Nitrate (explosives)
- Cellulose acetate (film, membranes etc.)
- High grade paper (currency, security)
- Medical grade cotton (Absorbent)
- Micro Crystalline cellulose (Filler in Tablets)
- Food Casings, Felts




Nanocellulose from Cotton Linters

Nanocellulose (size < 100nm)

- ✓ High mechanical strength (1 to 10GPa)
- ✓ High young modulus (100-130GPa)
- ✓ High surface area (50-200 m²/g)
- ✓ Bio degradable
- ✓ Novel optical properties



MCC from Cotton Fibers




Nanofibrils

5th Pilot Plant in the World (1st Plant in Sweden – 2011)



ICAR-CIRCOT pilot plant with capacity of 10kg/day



ICAR-CIRCOT Process

Applications of Nanocellulose


Virus filtration



Emulsion/ dispersion stabilizer



Liquid Crystal Display



Non-caloric Food thickeners



Targeted drug delivery



Fillers in Cement



Fillers in Film



Paper Coating & Furnish Additives

Industrial Applications of short staple/comber noil cotton

Short staple/comber noil cotton: India's Experiences

- ❑ Availability : **0.25 million tonne** annually
- ❑ Properties: staple length < 20 mm, MIC: 3-5; strength: 25g/tex Trash: 0.1-0.25%
- ❑ Commercial Uses: **Surgical Cotton, medicated cotton, Cotton Ball, Ear buds, wadings, security paper, currency notes, blend for coarse yarn and OE spinning for denim production**
- ❑ Under Trials: **Technical Textiles, etc.**



Standard of Absorbent cotton


Raw Material	Virgin Cotton/Comber noil
Sinking Time/absorbency	< 10 Sec
Water Holding Capacity	Not less than 24 times of It's weight in water
Ether Soluble Substances	Max 0.50 %
Water Soluble Substances/Per 5g	Not more than 0.50%
Alcohol Extract	Colorless
Sulphate Ash	Max 0.40%
Surface Active Substances	Max 2mm
Mercury	None when examined under ultraviolet light
Odor	Odorless
Foreign Matter	Absent
Extractable Coloring Matters	Negative
Moisture (%)	8

Absorbent Cotton Preparation Process

- i. Bale opening- manual or machine
- ii. Pre-cleaning & opening- cleaner
- iii. Kier/HTHP bleaching (100 °C Temp and 4 bar pressure using wetting agent, NaOH and H_2O_2)
- iv. Neutralization and Hydro extraction
- v. Wet opening
- vi. Drying
- vii. Carding
- viii. Cutting, weighing
- ix. Packaging

Flow Chart for Absorbent Cotton Plant

- Capacity: 1.5 TPD for 3 shifts (Semi automatic can be converted to fully automatic)



Commercial utilization: Absorbent Cotton

A	Capital Investment (1.5 TPD Capacity)	INR (Mn.)	USD
	Land and Building (Land Area: 1000 sq. m; Building for Machinery: 600 Sq. M ; Material storage area:200 Sq. M ; Office Building: 300 Sq. M)	0.50	7,692
	Plant and Equipment	4.00	61,538
	Auxiliary and Service Equipment (Electricals and handling tools)	0.50	7,692
	Total investment	5.0	76,923
B	Operational Expenses		
	Raw Material Cost for 3 months(1.5 TPD for 90 days @ Rs. 90,000 per tonne)	12.10	186,923
	Operational cost including repair and Maintenance and other charges (Rs. 40,000/tonne) for 3 months	5.04	83,076
C	Gross Annual Income (Rs. 1,900,00/tonne)	85.5	1,315,384
	Net annual income (Rs. 50,000/tonne)	2.25	34,615
D	Payback period: 27 months		Return on investment : 37%

Cotton Stalks: India's Experiences

- ❑ Availability : **26 million tonnes** annually
- ❑ Utilization: **5-6 %** commercially utilized, **15-20 %** Domestic fuel, **10-12%** ploughed in field, rest is burnt.
- ❑ Properties: about **60%** holocellulose, **27%** lignin and **6%** ash,
Gross calorific value: 4000 kcal/kg
- ❑ Commercial Uses: **Briquettes, Pellets, Compost, Power generation**
- ❑ Under Trials: **Particle Board, Pulp and Paper, Hard Boards, etc.**



Commercial Utilization of Cotton Stalks in India

Briquetting Plants

- Installed plants: about 110
- Capacity/plant: 20 TPD
- Size of briquettes: 90 mm diameter
- Uses: As substitute for coal for firing boilers in industries, brick kilns, etc.
- Raw materials: Cotton Stalk (150,000 T for 4 months:); Soybean; saw dust, wood chips, bagasse, etc.,
- Benefits: Cheap-80% of Coal Price; Renewable Source, farmers' income-Rs. 3000/ha for supply of chipped biomass



Commercial Utilization of Cotton Stalks in India (Contd.)

Pelleting Plant

- Installed Pelleting plants : 50
- Capacity/plant: 3 TPD & 60-80 TPD
- Size of pellets: 6, 8 and 10 mm diameter
- Uses: Boilers and Cooking in Restaurants
- Raw materials: Cotton Stalk (200,000 T for 4 months:); Soybean; saw dust, wood chips, bagasse, etc.
- Benefits: Cheap- half the commercial LPG prices; farmers' income-Rs. 3000/- per ha for supply of chipped biomass



Commercial Utilization of Cotton Stalks in India (Contd.)

Power Generation

- Installed power plants: 225
- Installed Capacity: 4831 MW
(Ministry of New and Renewable Energy, 2016)
- Raw material Required: 48 TPD
for 1 MW capacity



- Cotton Stalk, Soybean, Bagasse, Saw dust, etc.
- Benefits:
 - Renewable source for power generation
 - Power plants accept cotton stalks with high moisture content: 50 - 60 %
 - farmer' income - Rs. 3000/- per ha for supply of chipped biomass

Commercial Utilization of Cotton Stalks in India (Contd.)

Particle Boards

- One ton Stalk used for 600 Kg Boards
- Plants accept Cotton Stalks as Substitute for Bagasse
- Particle Boards from Cotton Stalk conform with IS standard 3087-1985
- Uses: furniture making, partitioning, panelling, false ceiling, etc.



On-farm Utilization of Cotton Stalks

Compost

- CIRCOT accelerated process for compost preparation.
- Compost is enriched with nutrients, plant growth micro organisms
- Stable for the period up to one year.

Parameter	Compost from cotton stalks	Farm Yard Manure
NPK content (%)	1.43 : 0.78 : 0.82	0.5 : 0.2 : 0.5
Duration (Days)	60	120

Mushroom Production

- Oyster Mushroom (edible) can be grown from cotton stalks
- Mushroom yields up to **500 g per kg of cotton stalks**




Industrial Applications of Cotton Stalks

BRIQUETTING



PELLETING



POWER GENERATION



Connected Loads & Manpower

Briquetting plant (mechanical)

Connected load: 90 HP

Manpower requirement: 6/shift

Hydraulic Press: capacity: 0.5 t/h , 20HP

Pelleting plant

Connected load: 25 HP

Manpower requirement: 3/shift

Power Generation

Manpower requirement: 10/shift

Logistics for Supply of Cotton Stalks

- Uprooting of cotton stalks: **7-10 labour/ha**
- Collection after 1 week sun drying: **4 labour**
- **Chipping:** Tractor driven chipper, capacity **2 TPH**, 11 labour, 2 tractor cum trolleys
- Transportation: **within 50 km**
- Total logistics Price: Rs. 1500 per tonne at factory gate (**\$ 23 per tonne**)



Commercial utilization: Briquetting Plant

A	Capital Investment (20 TPD Capacity)	INR in million	USD
	Land and Building (Land Area: 2 acre; Building for Machinery: 150 Sq. M ; Material storage area:1000 Sq. M ; Office Building: 50 Sq. M)	1.50	23,077
	Plant and Equipment	2.50	38,462
	Auxiliary and Service Equipment (Chipper: 3 & Handling Tools)	0.50	7,692
	Total investment	4.50	69,231
B	Operational Expenses		
	Raw Material Cost for 3 months(20 TPD for 90 days @ Rs. 2800 per tonne)	5.04	77,538
	Operational cost including repair and Maintenance and other charges (Rs. 600/tonne) for 3 months	1.08	16,615
C	Gross Annual Income (Rs. 4000/tonne)	24.00	369,231
	Net annual income (Rs. 400/tonne)	2.40	36,923
D	Payback period: 23 months	Return on investment :	43.5%

Commercial utilization: Pelletting Plant

A	Capital Investment (3TPD Capacity)	INR in million	USD
	Land & Building: (Land Area: 0.5 acre; Building for Machinery: 100 Sq. M ; Material storage area:500 Sq. M ; Office Building: 50 Sq. M)	0.50	7,692
	Plant and Equipment	1.00	15,385
	Auxiliary and Service Equipment (Chipper: 1 & Handling Tools)	0.20	3,077
	Total investment	1.70	26,154
B	Operational Expenses		
	Raw Material for 3 months(3 TPD for 90 days @ Rs. 2800 per tonne)	0.75	11,630
	Operational cost including repair and Maintenance and other charges (Rs. 2950/tonne) for 3 months	0.80	12,253
C	Gross Annual Income (Rs. 7500/tonne)	6.75	103,846
	Net annual income (Rs. 1000/tonne)	0.54	8,308
D	Payback period: 33 months	Return on investment :	30.3%

Commercial utilization: Power Generation

A	Capital Investment (30 MW Capacity)	INR in million	USD in million
	Land and Building (Land Area: 5 acre; Building for Machinery: 50 Sq. M ; Material storage area:5000 Sq. M ; Office Building: 50 Sq. M)	100.0	1.53
	Plant and Equipment	800.0	12.37
	Auxiliary and Service Equipment (Crushers, Gridding, Chimney, etc.)	100.0	1.53
	Total investment	1,000	15.43
B	Operational Expenses		
	Raw Material Cost for 3 months(1500 TPD for 90 days @ Rs. 2800 per tonne)	378	5.80
	Operational cost including repair and Maintenance and other charges (Rs. 30000/MWh) for 3 months	1944	29.90
C	Gross Annual Income (Rs. 57000/MWh)	14,775	227.29
	Net annual income (Rs. 1000/MWh)	250	3.84
D	Payback period: 48 months	Return on investment : 25%	

On-farm Applications of Cotton Stalks

Composting from Cotton Stalks

- ❖ Bio-enriched compost with nutrients, plant growth micro organisms prepared using ICAR-CIRCOT Accelerated process of composting

Parameter	Cotton stalk Composts	FYM
NPK content (%)	1.43 : 0.78 : 0.82	0.5 : 0.2 : 0.5
Duration (Days)	60	120

- ❖ Yield: 800 kg/tonne chipped stalks
- ❖ Production cost: Rs. 3000/tonne
- ❖ Selling Price: Rs. 3500/tonne



CIRCOT Technology for Bio-enriched Composts from Cotton Stalks



Mushroom from Cotton stalks

- Oyster Mushroom (edible) can be grown from cotton stalks
- Mushroom yields up to **500 g per kg of cotton stalks**



Mushrooms grown on cotton stalks

Cotton Sector in Uganda 2017

- ❖ **Area Under Cotton Cultivation : 77,000 hectares**
- ❖ **Cotton Lint Production : 27,200 tonnes**
- ❖ **Cottonseed production : 38,000 tonnes**
- ❖ **Linters : 2,300 tonnes**
- ❖ **Hulls : 10,000 tonnes**
- ❖ **Cottonseed meal : 19,000 tonnes**
- ❖ **Cotton Stalk Chips : 225,000 tonnes**

Bottom line

- Cottonseed meal is well established product for animal feeding, however, **it can be explored as poultry and fish feed.**
- Utilization of Cottonseed oil is well established and is recognized as safe edible oil across the World
- **Bioenrichment of Hull** will enable it as good feed supplement
- Explore the option of **Absorbent cotton Production**

Bottom line

- Cotton stalks can be effectively used as **Renewable source of energy** : Briquettes, Pellets and Power generations
- **Promote on-farm composting of cotton stalks**: Reduction in input cost; Soil health improvement; increased productivity and Production of cotton.
- From cotton stalks, preparation of **Kraft paper (corrugated boxes) and Particle Boards is not a feasible proposition**



Thank You

ICAR-Central Institute for Research on Cotton Technology

Adenwala Road, Matunga, Mumbai – 400019

(www.circot.res.in)

Tel. (+91) 22 24146002

E-mail: pgpatil266@gmail.com