

UNCTAD National Workshop Jamaica

30 May – 1 June 2017, Kingston, Jamaica

“Climate Change Impacts and Adaptation for Coastal Transport Infrastructure in Caribbean SIDS”

Climate Risk and Vulnerability Assessment Framework for Caribbean Coastal Transport Infrastructure

By

Cassandra Bhat

ICF, United States

This expert paper is reproduced by the UNCTAD secretariat in the form and language in which it has been received.
The views expressed are those of the author and do not necessarily reflect the views of the UNCTAD.



Climate Risk and Vulnerability Assessment Framework for Caribbean Coastal Transport Infrastructure

Climate Change Impacts on Coastal Transport Infrastructure in the Caribbean: Enhancing the Adaptive Capacity of SIDS

May 31, 2017



United Nations Conference on Trade and Development


National Workshop - Jamaica

Cassandra Bhat
ICF

Agenda

Understanding and Addressing Coastal Transport Infrastructure Climate Change Vulnerability in Caribbean SIDS

- *Why is it important?*
- *Framework overview*
- *Key steps*



Why is it important?

Understanding and addressing coastal transport infrastructure climate change vulnerability in Caribbean SIDS



6/9/2017 3

Caribbean SIDS Rely on Transport Infrastructure

Tourism

50%
of GDP

30%
of employment

Goods Movement



food

manufactured
goods

energy

Coastal Transport Infrastructure Is Highly Exposed to Climate Variability and Change

- Warmer temperatures
- Greater variability in precipitation
- Sea level rise
- Hurricanes and tropical storms



Left: National Hurricane Center; Right: NOAA (2017), Global and Regional Sea Level Rise Scenarios for the United States. National Oceanic and Atmospheric Administration, National Ocean Service. Available at: https://idesandcurrents.noaa.gov/publications/techrpt83_Global_and_Regional_SLR_Scenarios_for_the_US_final.pdf

6/9/2017 5

Coastal Transport Infrastructure Is Highly Sensitive to Climate Variability and Change

Climate change and extreme weather affect transport infrastructure

Historical climate events show the costs to and implications for transport services

- In 2015, Tropical Storm Erika triggered flash flooding, slope failure, and debris generation in the Commonwealth of Dominica:

Transport Impacts	Economic Impacts
<ul style="list-style-type: none"> • 60% of damages were to the transport sector • Floods/landslides damaged 17% of roads and 6% of bridges • Both airports were flooded, damaging electrical equipment 	<ul style="list-style-type: none"> • Roads and Bridges Damages: US\$288 million • Airports Damages: US\$15 million • Airport/Seaport Transport Sector Damages and Losses: US\$977,654 • Airport Operations Losses: US\$14.5 million to airlines and US\$80,000 to airports • Airport shutdown impacted the tourism industry

Commonwealth of Dominica (2015). Rapid Damage and Impact Assessment: Tropical Storm Erika – August 27, 2015. Government of the Commonwealth of Dominica. ACP-EU Natural Disaster Risk Reduction Program. September.

6/9/2017 6

Reducing Transport Sector Vulnerability in SIDS is Critical

Disruptions to the transport network can have immediate and severe consequences on:


- Development goals of the island
- Economy
- Health and lifestyles of residents

The challenge of maintaining these critical services is already significant and will only increase as the climate changes

6/9/2017 7

Considering Climate Information Can Increase Resilience of Coastal Transport Infrastructure

- Historically, climate-sensitive investments and decisions assumed “Stationarity”
- Stationarity = climate conditions remain the same when averaged over a sufficiently long time period
- However, climate model projections and observations indicate *non-stationarity*



6/9/2017 8

Considering Climate Information Can Increase Resilience of Coastal Transport Infrastructure

- **Location and design of new infrastructure**
 - Location
 - Elevation
 - Drainage capacity
 - Material
- **Maintenance practices for existing infrastructure**
 - Pavement repair
 - Culvert maintenance
- **Capital and maintenance investment priorities**
- **Operational adjustments**
 - Construction timing
 - Aircraft takeoff weights
- **Emergency management scenarios**
- **Long-range planning**

Build the economic case for **proactive** and **opportunistic** resilience investments

6/9/2017 9

Framework Overview

Understanding and addressing coastal transport infrastructure climate change vulnerability in Caribbean SIDS

Framework Goals

Provide a:

- **Structured way for organizations in SIDS to approach climate change adaptation**
- **Flexible, practical approach that uses available data to inform decision-making**
 - Framework outlines a continuum of approaches that can be used depending on data available

Audience: Port and Airport Managers in SIDS

By following the recommendations and steps in the methodology, transport managers can work towards identifying critical assets, current and future vulnerabilities, and potential adaptation strategies for the transport sector.

6/9/2017 11

Key Principles

#1: Keep the end goal in mind

The purpose of assessing vulnerability is to improve decision-making with respect to climate variability and change. If possible, identify specific decisions to inform.

#2: Work within data limitations

Data limitations—be they gaps in data on current assets, historical weather, future climate, or others—need not curtail adaptation efforts.

#3: Engage stakeholders

Stakeholder engagement is central to an effective climate change vulnerability assessment process and has multiple benefits, including:

- Help fill data gaps
- Build support for adaptation efforts
- Build capacity


6/9/2017 12

Key Steps

Understanding and addressing coastal transport infrastructure climate change vulnerability in Caribbean SIDS



6/9/2017 13




6/9/2017 14

Stage 1: Set Context and Scope



6/9/2017 15



6/9/2017 16

1.1 Set Context



- What are the pre-existing stressors to the transport system?
- How does your adaptation effort fit into the development needs of the country?
- Who are the main agencies and individuals responsible for adaptation?
- What related work has been done so far?
- What decisions are we trying to inform?

Quick early assessment

Saint Lucia Case Study Example

Existing studies or assessments completed prior to the case study include:

- CARIBSAVE Climate Change Risk Atlas, Climate Change Risk Profile for Saint Lucia
- World Bank Report: Climate Change Adaptation Planning in Latin America and Caribbean Cities, Final Report: Castries, Saint Lucia
- Second National Communication on Climate Change for Saint Lucia


6/9/2017 17

1.2 Define Scope



Define the scope of the vulnerability analysis. Decide on:

- **Physical Scope**
 - What facilities to include? (e.g., focus on critical, likely to be vulnerable)
- **Temporal Scope**
 - What is the relevant time period for decision-making? What decisions are you trying to inform?



- **Climate Scope**
 - What climate stressors to include?

Source: Joanne Potter and Molly Hellmuth, February 3, 2017, Climate Change Information and Application to Decision-Making

6/9/2017 18

1.2 Define Scope



Jamaica and Saint Lucia Case Study Example

- **Physical scope** – Four specific assets in each country were selected on the basis of their economic and cultural importance to each nation.
- **Temporal Scope** – 2050s, to align with a 35-year long-term planning horizon, which corresponds with expected asset lifetimes and relevant long-term transport plans
- **Climate Scope** – Focused on coastal hazards of sea level rise and tropical storms; secondary emphasis on inland flooding and extreme heat

6/9/2017 19

1.3 Outline Governance Frameworks



Outline the following for the selected transport facilities:

- **Ownership and Operational Framework**
 - What entities own and operate the facilities, and to whom are they responsible?
- **Legislative and Regulatory Framework**
 - What laws or statutes govern the behaviour of the facilities?

Jamaica Case Study Example

The study team consulted with stakeholders to identify legislative or regulatory constraints on the airports, such as:

- **Civil Aviation Regulations of 2004:** requirements for operations of aerodromes
- **Protected Areas Policy of the Palisadoes Peninsula:** policy to protect the sensitive ecosystem

6/9/2017 20

1.4 Identify Stakeholders



Develop a list of stakeholders to engage during the assessment process:

- Port and airport managers
- Port and airport authorities (e.g., Maritime Authority, Airport Authority)
- Private sector operators (e.g., ship owners, airline representatives)
- Asset owners and operators of interdependent infrastructure (e.g., energy, water)
- Government agencies overseeing transport, environment, natural development, and disaster preparedness
- Meteorological service
- Local or regional universities
- International or other organizations who have done related work

Benefits of engaging stakeholders include:


- Help fill data gaps
- Build support for adaptation efforts
- Build capacity to address risks


Tips for Engaging Stakeholders

- Establish regular communication protocols
- Establish clear requests for stakeholders

6/9/2017 21

Stage 2: Assess Criticality





Defining Criticality

Set Context and Scope → **Assess Criticality** → **Assess Vulnerability** → **Develop and Mainstream Adaptation Strategies**

Criticality is the overall importance of a facility or component.

2.1 Collect and Analyze Information on Facility Criticality



Facility Operations Data

- Volume of passengers
- Value of cargo transported
- Cost to replace or repair the facility

Interconnectivity Data

- Whether facility provides access to economic centers
- Whether facility is necessary for power or communications systems to operate
- Whether facility is necessary to maintain access to water or food supplies

Health/Safety Implications of Facility

- Whether facility is necessary for hurricane evacuation
- Whether facility provides access to hospital or healthcare

Economic Contributions Data

- Contributions of facility to tourism
- Contribution of facility to GDP
- People employed at the facility

Not all data will be available within a reasonable timeframe or level of effort

6/9/2017 25

2.2 Identify Critical Components



Define the relationship of different components to the functioning of the whole facility

Port components may include:

- Docks
- Navigation channel
- Cranes
- Utilities
- Generators
- Buildings and warehouses
- Access roads
- Personnel
- Drainage system

Airport components may include:

- Runways, taxiways, and aprons
- Terminals and other buildings
- Air traffic control
- Communication systems
- Access roads and parking lot
- Utilities
- Personnel
- Navigational aids
- Weather instrumentation
- Drainage system

6/9/2017 26

2.2 Identify Critical Components



Define the relationship of different components to the functioning of the whole facility

Port components may include:

- Docks
- Navigation channel

Airport components may include:

- Runways, taxiways, and aprons
- Terminals and other buildings


Jamaica Case Study Example


Critical components at Donald Sangster International Airport:

- **Runway:** This is the sole runway, therefore its operability is directly connected to the operability of the airport
- **Access Road:** The airport's access road is the only way of accessing the airport
- Personnel
- Drainage system
- Navigational aids
- Weather instrumentation
- Drainage system

6/9/2017 27

Stage 3: Assess Vulnerability





Choosing Between Vulnerability Assessment Methods

	Advantages	Disadvantages
Qualitative	<ul style="list-style-type: none"> Easily understandable Useful for prioritizing action Relatively low cost to prepare 	<ul style="list-style-type: none"> Does not communicate complex or less obvious aspects of vulnerability well May be open to interpretation and therefore contain uncertainties Does not directly imply the nature of adaptations
Quantitative	<ul style="list-style-type: none"> Helpful for informing cost-benefit analyses of adaptation options Takes advantage of available data Can communicate complex or less obvious aspects of vulnerability 	<ul style="list-style-type: none"> Can be time and resource intensive Can be long, technical, hard to follow and thus not used effectively if sufficient outreach is not conducted May not have all desired data

Determine the approach based on the intended use of the assessment:

- To identify priorities for more detailed study
- To inform land use planning decisions
- To inform long-term facility plans
- To inform infrastructure investment decisions
- To build the economic case for adaptation
- To design adaptation strategies

6/9/2017 30

3.1 Determine Facility Sensitivity



Sensitivity is the degree to which the facility is likely to experience direct physical damage or operational disruptions



6/9/2017 31

General Sensitivity Relationships

Facility Component

Climate Hazard

Climate Hazard	Docks	Crane Operations	Access	Other
Sea Level Rise	Higher sea levels can increase the risk of chronic flooding and lead to permanent inundation of dock facilities, making a port inoperable.	Not sensitive.	Sea level rise could affect port access routes.	Not applicable.
Tropical Storms/ Hurricanes/ Storm Surge	Storm surge can damage marine port facilities, causing delays in shipping and transport. For example, Hurricane Ivan in Grenada damaged the main port terminal and prevented normal operations for three weeks (OECS, 2004).	Not sensitive.	Tropical storms can cause roadway damage and debris movement, blocking access to the port for staff and ground transport.	Port operations may be halted for the duration of the storm. Floodwaters or winds can also transport debris that must be removed before operations can resume.
Wind	Not sensitive.	Cranes cannot be used above certain wind speeds. Inoperable cranes can cause delays in shipping.	Wind can blow over road signs and stir up dust from unpaved roads. Downed signs and swirling dust can create confusing and dangerous travel conditions.	High wind speeds could create hazardous working conditions for port staff. Winds can also transport debris that must be removed before operations can resume.
Extreme Heat	Not sensitive.	Not sensitive.	Extreme heat can result in asphalt pavement softening or rutting, or cracks in concrete pavement.	Extreme heat can create hazardous working conditions for port staff and could deteriorate paved terminal areas. Extreme heat can also raise energy costs for cooling.
Heavy Precipitation/ Flooding	Heavy rain can reduce visibility and create flooding, causing damage to port structures and equipment and delaying shipping and transport.	Flooding can cause damage to crane equipment, making it inoperable and halting or slowing	Heavy rain can overwhelm existing draining systems and cause flooding, creating pavement and embankment failure, erosion, debris movement, and	Flood waters can transport debris that must be removed before operations can resume. For example, this has occurred at

6/9/2017 32

Establish Operational Thresholds

What is an operational threshold?

Level of weather conditions at which a facility or piece of infrastructure experiences disruption or damage

▪ In what conditions is the facility likely to experience damage or disruption?

- Does the facility have official operational manuals that specify thresholds?
- What conditions is it designed to withstand?
- In which conditions has it been unable to operate in the past?
- In which conditions has it been damaged in the past?

Why establish thresholds?

- Helps focus search for and analysis of climate data (historical and projected)
- Process for sharing and documenting critical institutional knowledge
- Informs monitoring and evaluation over time
- Helps develop practical estimates of risks over time

6/9/2017 33

Establish Operational Thresholds

▪ In what conditions is the facility likely to experience damage or disruption?

- Does the facility have official operational manuals that specify thresholds?
- What conditions is it designed to withstand?
- In which conditions has it been unable to operate in the past?
- In which conditions has it been damaged in the past?

Spectrum of Thresholds

- Heavy precipitation reduces visibility
- Waves overtop dock
- Very hot days threaten perishable goods
- Standing water on runway
- Cranes can't operate at wind speeds > 25 m/s
- Pavement designed to tolerate maximum seven-day temperature of 41.4°C (106.4°F)

6/9/2017 34

Examples

Identifying Thresholds: Aircraft Runway Length Requirements and Temperature

Individual aircraft manufacturers set minimum runway length requirements related to temperature:

- Identify the type of aircraft that use the airport or might use it in the future.
- For major aircraft categories, find airport specifications on the manufacturer's website.
- Read the tables for the elevation of your airport to determine how runway length requirements change with temperature.

Takeoff Runway Length Requirements by Temperature and Aircraft¹

Boeing:	Mean maximum daily temperature of the warmest month				
	Standard Day: 15°C	30°C	37.2°C	40°C	50°C
737-600	2,134 m	2,316 m	3,048 m	n/a	3,505 m
737-700/700W	2,804 m	3,048	3,810 m	n/a	4,572 m
737-800/800W/BBJ2	2,377 m	2,469 m	n/a	3,078 m	4,572 m

Identifying Thresholds: Sea Level Rise

To obtain an indication of how much "room" the facility has to accommodate sea level rise:

- Measure the vertical distance between immediate coastal infrastructure (such as docks) and mean higher-high water levels

¹Boeing (2013). 737 Airplane Characteristics for Airport Planning. Boeing Commercial Airplanes. D6-58325-6, September 2013. Available at: <http://www.boeing.com/assets/pdf/commercial/airports/acaps/737.pdf>

Examples

Identifying Thresholds: Aircraft Runway Length Requirements and Temperature

Individual aircraft manufacturers set minimum runway length requirements related to temperature:

- Identify the type of aircraft that use the airport or might use it in the future.
- For major aircraft categories, find airport specifications on the manufacturer's website.
- Read the tables for the elevation of your airport to determine how runway length requirements change with temperature.

Takeoff Runway Length Requirements by Temperature and Aircraft¹

Boeing:	Mean maximum daily temperature of the warmest month				
	Standard Day: 15°C	30°C	37.2°C	40°C	50°C
737-600	2,134 m	2,316 m	3,048 m	n/a	3,505 m
737-700/700W	2,804 m	3,048	3,810 m	n/a	4,572 m
737-800/800W/BBJ2	2,377 m	2,469 m	n/a	3,078 m	4,572 m

This afternoon's training will focus on identifying thresholds

To obtain an indication of how much "room" the facility has to accommodate sea level rise:

- Measure the vertical distance between immediate coastal infrastructure (such as docks) and mean higher-high water levels

¹Boeing (2013). 737 Airplane Characteristics for Airport Planning. Boeing Commercial Airplanes. D6-58325-6, September 2013. Available at: <http://www.boeing.com/assets/pdf/commercial/airports/acaps/737.pdf>

Determine Impact of Crossing Thresholds

▪ Direct Impacts to facilities

- Duration of disruption
- Cost of operational shutdown
- Cost of repairs

▪ Indirect Impacts and Losses

- Lost economic activity
- Disrupted industries (e.g., agriculture, energy, tourism)
- Lost ecosystem services

Quantify what's possible, and also list what's not possible to quantify (e.g., indirect losses)

Spectrum of Impacts

- Insignificant
 - Minor
 - Moderate
 - Major
 - Extreme
- Rainfall > 200 mm in 24 hours causes closure for 3 days
 - Each hour of closure costs \$10,000
 - Water elevations > 1 m would cause \$2,000,000 in damage

6/9/2017 37

3.2 Assess Current Exposure



How frequently the relevant sensitivity thresholds have been exceeded in the past?

- Meteorological data
- Anecdotal evidence/qualitative ratings
- Climate model hindcasts

Saint Lucia Case Study Example

The study team used climate model hindcasts to estimate how frequently the following thresholds were exceeded from 1970-1999:

- **Heat Index over 30.8°C with relative humidity of 80%:** 0.6 days per year
- **Days with temperature > 31°C:** 0.33 days per year
- **Rainfall > 20 mm:** 45.9 days per year

6/9/2017 38

3.3 Assess Future Exposure



Estimate how climate change could affect facilities in the future

Two main types of climate data:

- Temperature, precipitation, and other hazards
- Sea level rise and storm surge

Tomorrow's training will elaborate on gathering climate data to determine exposure to temperature and precipitation using a variety of methods

Determine Exposure to Sea Level Rise and Storm Surge

Determine how much sea level rise may be expected

Determine which locations might be affected using one of the following approaches:

- Review of pre-existing inundation maps and data
- Inundation mapping
- Qualitative assessment

6/9/2017 39

3.3 Assess Future Exposure




Determine which locations might be affected by sea level rise:

Option 1

Pre-existing Inundation Maps and Data

Geospatial data and models can help identify the locations most likely to be inundated under different sea level rise or storm surge scenarios

For example, see below map of Castries 100-year coastal flooding event with sea level rise¹



¹ICF GHK (2014). Climate Change Adaptation Planning in Latin American and Caribbean Cities. Final Report: Castries, Saint Lucia.

6/9/2017 40

3.3 Assess Future Exposure



Determine which locations might be affected by sea level rise:


Option 2

Develop Inundation Maps

Use the following to do your own mapping of potential inundation:

- **Sea level rise scenarios**
- **Current tidal surface elevation**
- **Digital elevation model** of the study locations – higher resolution the better
 - LiDAR data limited in the Caribbean

How much SLR to plan for?



May vary based on risk tolerance for the decision and lifetime of project.

Lower risk tolerance and higher lifetime = higher SLR scenario

Map literature-supported levels of sea level rise on top of mean higher high water

6/9/2017 41

3.3 Assess Future Exposure



Determine which locations might be affected by sea level rise:

Option 3

Qualitative Assessment


Estimate potential flood risk areas using **best available information** and **professional judgment**.

For example, meet with stakeholders to identify low-lying areas and places that historically flood during high tide events.



Photo credit: Cassandra Bhat, ICF

6/9/2017 42



3.4 Synthesize Vulnerabilities



Quantitative Example

Identify how often operational thresholds are expected to be exceeded in the future and quantify impacts

Operational Threshold	Precipitation > 20 mm per day
Impact Description	Cranes at the port are unable to operate
Quantified Impacts	6 hours / \$60,000
Current Frequency	2 days/year
Future Frequency	4 days/year
Current Risk	12 hours / \$120,000
Future Risk	24 hours / \$240,000

Qualitative Example

Combine the information on criticality, sensitivity, current vulnerability, and exposure to identify the potential vulnerabilities using a vulnerability matrix, risk matrix (below), qualitative ranking, or vulnerability profile

		Consequence of Hazard				
		Insignificant	Minor	Moderate	Major	Extreme
Likelihood of Hazard	Almost Certain	Medium	High	Very High	Very High	Very High
	Likely	Medium	Medium	High	Very High	Very High
	Possible	Low	Medium	Medium	High	Very High
	Unlikely	Low	Low	Medium	Medium	High
	Rare	Low	Low	Low	Medium	Medium

3.4 Synthesize Vulnerabilities



Quantitative Example

Identify how often operational thresholds are expected to be exceeded in the future and quantify impacts

Operational Threshold	Precipitation > 20 mm per day
Impact Description	Cranes at the port are unable to operate
Quantified Impacts	6 hours / \$60,000
Current Frequency	2 days/year
Future Frequency	4 days/year
Current Risk	12 hours / \$120,000
Future Risk	24 hours / \$240,000


Qualitative Example

Combine the information on criticality, sensitivity, current vulnerability, and exposure to identify the potential vulnerabilities using a vulnerability matrix, risk matrix (below), qualitative ranking, or vulnerability profile

		Consequence of Hazard				
		Insignificant	Minor	Moderate	Major	Extreme
Likelihood of Hazard	Almost Certain	Medium	High	Very High	Very High	Very High
	Likely	Medium	Medium	High	Very High	Very High
	Possible	Low	Medium	Medium	High	Very High
	Unlikely	Low	Low	Medium	Medium	High
	Rare	Low	Low	Low	Medium	Medium

Quantitative Example in Practice

SEPTA - Future Payroll Cost Risks of Extreme Weather



3.4 Synthesize Vulnerabilities



Quantitative Example

Identify how often operational thresholds are expected to be exceeded in the future and quantify impacts

Operational Threshold	Precipitation > 20 mm per day
Impact Description	Cranes at the port are unable to operate
Quantified Impacts	6 hours / \$60,000
Current Frequency	2 days/year
Future Frequency	4 days/year
Current Risk	12 hours / \$120,000
Future Risk	24 hours / \$240,000

Qualitative Example

Combine the information on criticality, sensitivity, current vulnerability, and exposure to identify the potential vulnerabilities using a vulnerability matrix, risk matrix (below), qualitative ranking, or vulnerability profile

		Consequence of Hazard				
		Insignificant	Minor	Moderate	Major	Extreme
Likelihood of Hazard	Almost Certain	Medium	High	Very High	Very High	Very High
	Likely	Medium	Medium	High	Very High	Very High
	Possible	Low	Medium	Medium	High	Very High
	Unlikely	Low	Low	Medium	Medium	High
	Rare	Low	Low	Low	Medium	Medium

6/9/2017 47

Qualitative Example in Practice


Avatiu Port, Rarotonga, Cook Islands

CLIMATE EVENT	EXISTING RISK ¹			YOUR UNDERSTANDING OF FUTURE CLIMATE RISK		Comments
	Consequence (Impact)	Likelihood	Risk	Consequence (Impact)	Likelihood	
				Higher Lower No Change	More Less No Change	
High Wind (e.g crane safety, navigability)	Moderate	Likely	High	Higher	More	Tug boat most vulnerable. High wind - just shut down services/stay in port.
High Rainfall (e.g flash flooding in surrounding districts or site drainage issues)	Minor	Possible	Medium	Same	More	
High Waves (e.g navigability, sea supply chain, breakwaters etc.)	Moderate	Likely	High	Higher	More	
Temperature	Minor	Almost Certain	High	Higher	More	
Sea Level Rise	Moderate	Almost Certain	Very High	Higher	More	
Tropical Cyclone (e.g combination of high winds, waves and storm surge)	Possible	Extreme	Very High	Higher	More	Years of cyclones. Lines boat and crane can be done within a day if conditions are ok. Tug can be brought in later if a bigger boat required. Once tug back in water takes about 4 hours to ballast the tug. NB in regards to 2005 cyclone - opened straight away and mess had to be cleaned up. Roofing was an issue that needed to be cleaned up and rocks removed. 1987 cyclone - was like a 100 year cyclone, wiped everything on seaward part of wharf pushed into the harbour (none of it had been removed). Previous failings - all cargo needs to be taken off-site.

Adapted from Cox R, Panayotou K, Cornwell R, and Blacka M (2013). Climate Risk Assessment for Ports and Connected Infrastructure: Case Study Avatiu Port, Rarotonga, Cook Islands. Water Research Laboratory (WRL) Technical Report 2013/15. October 2013. Available at: http://www.mfem.govt.nz/images/documents/DCD_Docs/Climate_ChangeCoastal_Adaptation/WRL_TR2013_15_Final.pdf

6/9/2017 48

Stage 4: Develop and Mainstream Adaptation Strategies



What is Adaptation?

Adaptation:

Process of adjustment to actual or expected climate and its effects, in order to moderate harm or exploit beneficial opportunities (IPCC)

Adaptation enhances resilience:

Capability to anticipate, prepare for, respond to, and recover from significant stressors with minimum damage



After a major flood, a pumping station in Santo Domingo was raised by the height of a person to avoid future impacts. (Source: ICF)

6/9/2017 51

Recipe for Success in Adaptation Planning

- **Serve now or later**
- **Augment as needed**
- **Variety of “flavors”**



6/9/2017 52

4.1 Identify Priorities for Closer Analysis or Adaptation



What are the adaptation priorities? (from vulnerability assessment)

Where do you need further information in order to act?

- Further analysis is useful where the costs of adaptation could be high
- Some adaptation measures can be justified from economic, social, and environmental perspectives regardless of the future changes in climate

6/9/2017 53

4.2 Identify and Select Adaptation Strategies



Strategic planning & policy

- Airport/port strategic plan
- Airport/port master plan
- Land-use planning
- Utility planning

Infrastructure development

- Infrastructure siting, design specifications
- Construction budget and schedule

Program management

- Staff training

Operations & maintenance

- Maintenance schedules
- Annual maintenance budget

Emergency management & disaster risk reduction

- Worst case scenarios
- Proactive mitigation

Adaptation can apply to all levels of decision-making

Adaptation options may not be technologically innovative or climate change-specific; many will involve well-established technologies and management approaches applied wisely to address climate risks.

6/9/2017 54

4.2 Identify and Select Adaptation Strategies



Types of adaptation strategies

Process Enhancements

- Provide warnings of extreme temperatures to minimize heat stress risks for workers
- Plan for increased debris removal operations
- Adopt a post-disaster reconstruction plan
- Improve transition planning to ensure staff with more experience transfer their institutional knowledge to new staff
- Track data on impacts over time

Ecosystem Enhancements

- Support sustainable land use and development to avoid slope destabilization and landslides
- Plant vegetation around airport buildings to lower surface/air temperatures, and manage stormwater runoff
- Support beach nourishment, coral reef protection, and nearshore seagrasses to reduce coastal flood risk.

Engineering Enhancements

- Improve cranes' braking systems and wind speed prediction systems
- Elevate structures
- Harden shorelines
- Protect exposed utilities
- Increase drainage capacity
- Install building energy efficiency improvements

Consider a range of adaptation options – one measure will rarely do it all

6/9/2017 55

4.2 Identify and Select Adaptation Strategies



Identify adaptation strategies through:

- Collective brainstorming with system and asset managers as well as relevant stakeholders to collaboratively brainstorm adaptation strategies
- Exploring relevant adaptation strategies proposed for or implemented locally or elsewhere
- Seeking guidance from relevant experts from both inside and outside of the refuge

6/9/2017 56

4.2 Identify and Select Adaptation Strategies: Example



Port of Manzanillo¹

- A recent study analyzed the climate risks and provided an adaptation plan for the port.
- The recommended actions work within the context of planning at the Federal, State, and Municipal levels and provide a range of strategy types.
- The plan includes:
 - **Measures that build adaptive capacity** (Update plans for evacuation/business continuity during extreme events)
 - **Operational Measures** (Improve procedures for handling materials under adverse conditions)
 - **Engineered/hard structural solutions** (Upgrade sediment traps)
 - **Ecosystem based measures** (Continue efforts to preserve mangrove areas for natural flood defenses)
 - **Hybrid measures** (Adjust port facilities in response to changing customer demands and trade flows)


¹IDB (2015). Port of Manzanillo: Climate Risk Management (Final Report). September, 2015. Available at: <https://publications.iadb.org/handle/11319/7649>



4.3 Develop a Multiyear Implementation Strategy



Consider Timing

- Near-term adaptation measures should
 - Effectively address immediate vulnerabilities,
 - Address highest priority impacts
 - Be feasible and affordable to implement quickly





4.4 Capture Funding for Implementation



A variety of entities provide funding for climate change adaptation efforts




Figure source: Trujillo NC, Watson C, Caravani A, Barnard S, Nakhouda S, and Schalteck L (2015). Climate Finance Thematic Briefing: Adaptation Finance. Climate Finance Fundamentals. December 2015.

6/9/2017 61

4.5 Monitor and Evaluate




Establish a monitoring and evaluation implementation plan

Adaptive Management

- Iterative process for revisiting adaptation practices to adjust to changing conditions and increase resilience over time

Monitoring and Evaluation

- Considers unique factors related to climate-resilient development:
 - Changes in climate information / impacts
 - Unexpected observations in climate and non-climate stressors / impacts
 - New technologies / approaches that may be more effective



6/9/2017 62

Example Information to Track



Climate Changes

- **Water levels**
- **Frequency of threshold exceedance**

Climate Impacts

- **Frequency of disruptions**
- **Duration of disruptions**
- **Cause of disruptions (e.g., heavy rain, heat, tidal flooding, storm surge)**

Performance of Adaptation Strategies*

- **How do climate impacts differ before/after interventions?**


*To the extent possible (though this will likely be limited)

6/9/2017 63

Effects of Monitoring Actual Costs (SEPTA)



FEMA/FTA-Reimbursement Labor Costs



FTA, 2013, A Vulnerability and Risk Assessment of SEPTA's Regional Rail

6/9/2017 64

Sandy Damage



Photo source: SEPTA

Irene Damage



Photo: SEPTA


Lee Damage



Photo: SEPTA

Effects of Monitoring Actual Costs (SEPTA)

FEMA/FTA-Reimbursement Labor Costs



Example: Using climate information in adaptive management

Adaptation strategy: Incorporate climate change data and trends into an airport's master plan. Integrating climate change at a high-level will influence other sectors of the airport as trends are realized.

Monitoring climate trends:

1. Trends indicate that a runway is increasingly more vulnerable to flooding
2. Trends indicate increasing intensity and frequency of heat waves which threaten employee safety



Adaptive Management:

1. Re-evaluate lifespan of runway and consider adaptation options such as elevating the runway
2. Adjust protocol for employee safety such as changing work hours during high heat conditions



69

Final Thoughts




Climate Resilience is an Ongoing Process

- Adaptation measures take time and resources to implement
- Start with known impacts
- Achieving “zero risk” to climate vulnerabilities is challenging
 - Reducing risk over time is the key to success
- Our understanding of future climate conditions continues to improve and change
- Objectives and challenges change over time

Adaptive Management: Learning by Doing

- Flexible, ongoing decision making
- Involves:
 - Identification of climate-sensitive decisions
 - Reassessment of vulnerabilities over time
 - Versatile, scalable adaptation strategies
 - Assessment of progress in achieving resilience
 - Adjustments in adaptation as needed
- Incorporates new information and adjusts for uncertainty

6/9/2017 70



Climate change adaptation is not easy. Decisions may be difficult. But we have to start somewhere. Follow a structured approach, break down the problem, and get commitment—either from the top down or bottom-up—to make real change and resilience possible.



Questions?

